



Digital Signage Solutions



ABOUT US

Digital signage provides information, generates customer feedback, encourages interaction, and entertains. It can promote your products and paying advertisers' products too.

Digital signage makes people notice. It makes them read, watch or hear whatever you've got to say.

What kind of digital signage do you need?

Teksmart has been designing, manufacturing and selling digital signage since 2008. And we keep developing new signage, with new features and capabilities, because we know there isn't any one-size-fits-all solution. No one waiting room or restaurant or promoter has quite the same needs as another.

That's great news for you. It means that:

1. You can choose from a huge range of digital signage solutions
2. If we haven't got exactly what you need, we can custom-make your digital sign for you
3. From indoor wall-mounted screens to outdoor freestanding units, from standalones to multi-site digital networks, we'll help you find the screen that fits your requirements.

Just the facts

- Teksmart is a privately owned British company, established in 2008
- We manufacture and distribute our own products
- We work with a wide range of businesses from SMEs to blue chips

Meeting your requirements

You'll enjoy a top quality product at an unbelievable price, and you'll enjoy our proper customer service and after sales service too. We're here to help you find the right digital signage and software for your needs.



CONTENTS



Indoor Poster Displays
Page 6



Indoor Freestanding Displays
Page 8



Indoor Multimedia Kiosks
Page 10



Outdoor Poster Displays
Page 14



Outdoor Freestanding Displays
Page 16



Custom Digital Signage
Page 20





INDOOR DISPLAYS

Shoot and score



Penalties. Again.
Can you put one past the keeper to lift
the UEFA Champions League Trophy?

It's all about getting your penalty correct in when you have
100% chance to score. Can you?
It's all about your accuracy and timing at the
UEFA Champions League. Can you?

Build the team of your
dreams.





The Teksmart Poster Display lets you do things your way. You choose the size, you choose the location and then you get creative...

Show images, poster-style ads, graphics and video all in high definition. Our Poster Display unit will help you promote, sell, educate and entertain. Available in a wide range of sizes: 19", 22", 27", 32", 43", 49", 55", 65", 75" and 84". Each display has in-built speakers and comes with a lockable slim-line wall mount bracket for quick, simple, secure installation.

Features:

- Highly configurable 'built to order' hardware
- Built for 24/7 commercial use and designed for public spaces
- High definition screen with a wide viewing angle
- Tablet styling and super slim profile
- Integrated premium quality speakers
- Comes complete with wall-mount bracket

Configure:

To ensure that our products meet your exact requirements, we offer highly-customisable solutions. First pick your perfect size, and then configure your display based on the following options:

1. Screen Orientation: Portrait or Landscape?

Choose from either portrait or landscape screen orientation.

2. Integrated Media Player: What Specification?


Choose from the following options:

- Entry-Level Android OS Media Player
- Enterprise-Level Windows OS (i3 PC) Media Player
- Premium-Level Windows OS (i5 PC) Media Player

... Or even opt for no media player (if you plan to connect to an external source).

3. Touchscreen Functionality: Yes or No?

You can decide whether you want your display to have an integrated touch-screen or not.



Screen Size	19"	22"	27"	32"	43"	49"	55"	65"	75"	84"
Display										
Screen Type	LCD	LCD	LCD	LCD	LCD	LCD	LCD	LCD	LCD	LCD
Resolution (Pixels)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	3840 x 2160 (4K)	3840 x 2160 (4K)
Brightness	300 cd/m2	300 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	400 cd/m2	450 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	1000:1	1000:1	1500:1	1500:1	1500:1	1500:1	4000:1	4000:1	4000:1	5000:1
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M
Viewing Angle (H/V)	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°
Response Time	6ms	6ms	6ms	6ms	6ms	6ms	6ms	6ms	6ms	6ms
Life Span (Hours)	60000	60000	60000	60000	60000	60000	60000	60000	60000	60000
Power										
Mains Power	100-240v	100-240v	100-240v	100-240v	100-240v	100-240v	100-240v	100-240v	100-240v	100-240v
Power Consumption	89 kWh	89 kWh	89 kWh	89 kWh	189 kWh	189 kWh	189 kWh	189 kWh	189 kWh	189 kWh
Standby Consumption	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d
Dimensions & Weights										
Unit Size (W x H x D)	46 x 28 x 6 cm	52 x 33 x 6 cm	66 x 39 x 6 cm	76 x 46 x 6 cm	102 x 61 x 8 cm	116 x 69 x 7 cm	130 x 77 x 8cm	152 x 89 x 8cm	174 x 102 x 8 cm	196 x 115 x 8 cm
Unit Weight	9 kg	12 kg	15 kg	23 kg	32 kg	58 kg	70 kg	83 kg	87 kg	123 kg
Packaged Size (W x H x D)	68 x 57 x 24 cm	74 x 62 x 24 cm	83 x 63 x 24 cm	97 x 74 x 24 cm	121 x 85 x 24 cm	123 x 85 x 24 cm	154 x 109 x 24 cm	175 x 114 x 24 cm	191 x 120 x 24 cm	216 x 128 x 24 cm
Gross Weight	13 kg	16 kg	19 kg	27 kg	37 kg	63 kg	74 kg	95 kg	122 kg	144 kg
Installation										
VESA Compatibility	100 x 100mm	100 x 100mm	100 x 100mm	400 x 200mm	400 x 400mm	400 x 400mm	400 x 400mm	400 x 400mm	400 x 400mm	400 x 400mm
Audio										
Speakers	2 x Internal Speakers									
Speaker Output	10 Watts									
Design										
Colour/s	Black and Silver									
Shell Material/s	Steel Construction Case and Aluminum Frame									
Screen Material	Tempered Glass Face									
Security	Ports, Connectors and Controls are Located within a Lock-Protected Compartment									
Operating Environment										
Working Temperature	-10°C ~ +50°C									
Working Humidity	10% - 90%									
Certifications & Standards	CE, ROHS, IP20									
Accessories	Wall Mount Bracket, AC Power Lead, Wi-Fi Antenna, Key for Rear Access Door									
Product Warranty	1 Year Warranty									

Optional Integrated Media Player	1. Entry-Level Android OS Media Player	2. Enterprise-Level Windows OS (i3 PC) Media Player	3. Premium-Level Windows OS (i5 PC) Media Player
Operating System	Android® 5.1	Windows® 10	Windows® 10
Processor	Rockchip® Octa-Core 1.8GHz	Intel® i3 3240 Dual-Core 3.4GHz	Intel® i5 3470 Quad-Core 3.2GHz
Memory	1GB DDR3 Ram	4GB DDR3 Ram	8GB DDR3 Ram
Storage	8GB Flash	240GB SSD Hard Drive	240GB SSD Hard Drive
Network	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN
Ports	USB, RJ45, HDMI	USB, RJ45, HDMI	USB, RJ45, HDMI
...or even opt for no media player (if you plan to connect to an external source).			

Optional Touchscreen	
Detection Method	Projected Capacitive 10-Point Touch
Touch Method	Finger, Stylus or Opaque Object
Interpolation	32767 x 32767
Response Time	≤20ms
Accuracy	±2mm
Interface	USB
Supported OS	Windows, MAC, Linux, Android



You choose the optimum spot and make the biggest impact with your choice of eye-catching pictures, graphics and media files.

Digital display screens are great. Or rather they can be, if they're put in the right place, and people can actually see them clearly. The Teksmart Indoor Freestanding Display is especially slim and elegant, and crucially, it's freestanding so it's designed to fit in just about anywhere. Available in a wide range of sizes: 32", 43", 49", 55", 65", 75" and 84", each display has built-in speakers.

Features:

- Highly configurable 'built to order' hardware
- Built for 24/7 commercial use and designed for public spaces
- High definition screen with a wide viewing angle
- Tablet styling and super slim profile
- Integrated premium quality speakers
- Ports are kept secure within a lock protected compartment

Configure:

To ensure that our products meet your exact requirements, we offer highly-customisable solutions. First pick your perfect size, and then configure your display based on the following options:

1. Colour: Black or White?

Choose from either black or white. Both look great! Which do you prefer?

2. Integrated Media Player: What Specification?

Choose from the following options:

- Entry-Level Android OS Media Player
- Enterprise-Level Windows OS (i3 PC) Media Player
- Premium-Level Windows OS (i5 PC) Media Player

... Or even opt for no media player (if you plan to connect to an external source).

3. Touchscreen Functionality: Yes or No?

You can decide whether you want your display to have an integrated touch-screen or not.

Screen Size	32"	43"	49"	55"	65"	75"	84"
Display							
Screen Type	LCD	LCD	LCD	LCD	LCD	LCD	LCD
Resolution (Pixels)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	3840 x 2160 (4K)	3840 x 2160 (4K)
Brightness	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	400 cd/m2	450 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	1500:1	1500:1	1500:1	4000:1	4000:1	4000:1	5000:1
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M
Viewing Angle (H/V)	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°
Response Time	6ms	6ms	6ms	6ms	6ms	6ms	6ms
Life Span (Hours)	60000	60000	60000	60000	60000	60000	60000
Power							
Mains Power	100-240v	100-240v	100-240v	100-240v	100-240v	100-240v	100-240v
Power Consumption	89 kWh	189 kWh	189 kWh	189 kWh	189 kWh	189 kWh	189 kWh
Standby Consumption	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d
Dimensions & Weights							
Unit Size (W x H x D)	47 x 175 x 46 cm	62 x 180 x 46 cm	69 x 185 x 46 cm	76 x 190 x 46 cm	90 x 210 x 56 cm	101 x 215 x 70 cm	114 x 235 x 70 cm
Unit Weight	65 kg	79 kg	89 kg	95kg	148 kg	159 kg	179 kg
Packaged Size (W x H x D)	180 x 88 x 25 cm	200 x 92 x 25cm	200 x 100 x 30cm	210 x 107 x 30cm	238 x 115 x 33cm	240 x 137 x 35cm	245 x 140 x 35cm
Gross Weight	76 kg	88 kg	97 kg	113 kg	168 kg	172 kg	215 kg
Audio							
Speakers	2 x Internal Speakers						
Speaker Output	10 Watts						
Design							
Colour/s	Black or White (with Silver Trim)						
Shell Material/s	Steel Construction Body and Aluminum Frame						
Screen Material	Tempered Glass Face						
Security	Ports, Connectors and Controls are Located within a Lock-Protected Compartment						
Operating Environment							
Working Temperature	-10°C ~ +50°C						
Working Humidity	10% - 90%						
Certifications & Standards	CE, ROHS, IP20						
Accessories	AC Power Lead, Wi-Fi Antenna, Key for Rear Access Door						
Product Warranty	1 Year Warranty						

Optional Integrated Media Player	1. Entry-Level Android OS Media Player	2. Enterprise-Level Windows OS (i3 PC) Media Player	3. Premium-Level Windows OS (i5 PC) Media Player
Operating System	Android® 5.1	Windows® 10	Windows® 10
Processor	Rockchip® Octa-Core 1.8GHz	Intel® i3 3240 Dual-Core 3.4GHz	Intel® i5 3470 Quad-Core 3.2GHz
Memory	1GB DDR3 Ram	4GB DDR3 Ram	8GB DDR3 Ram
Storage	8GB Flash	240GB SSD Hard Drive	240GB SSD Hard Drive
Network	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN
Ports	USB, RJ45, HDMI	USB, RJ45, HDMI	USB, RJ45, HDMI
...or even opt for no media player (if you plan to connect to an external source).			

Optional Touchscreen	
Detection Method	Projected Capacitive 10-Point Touch
Touch Method	Finger, Stylus or Opaque Object
Interpolation	32767 x 32767
Response Time	≤20ms
Accuracy	±2mm
Interface	USB
Supported OS	Windows, MAC, Linux, Android



The way we all deliver information needs to change to reflect our environment. Instead of catering to every visitor at once, you sometimes need to give some time to the individual.

Teksmart's Indoor Multimedia Kiosk is a sleekly elegant unit while it's ergonomic design invites interaction. Available in a variety of sizes (32", 43", 49", 55" and 65") and colour finishes (black and white), each display has in- built speakers.

Features:

- Highly configurable 'built to order' hardware
- Built for 24/7 commercial use and designed for public spaces
- High definition screen with a wide viewing angle
- Tablet styling and super slim profile
- Integrated premium quality speakers
- Ports are kept secure within a lock protected compartment

Configure:

To ensure that our products meet your exact requirements, we offer highly-customisable solutions. First pick your perfect size, and then configure your display based on the following options:

1. Colour: Black or White?

Choose from either black or white. Both look great! Which do you prefer?

2. Integrated Media Player: What Specification?

Choose from the following options:

- Entry-Level Android OS Media Player
- Enterprise-Level Windows OS (i3 PC) Media Player
- Premium-Level Windows OS (i5 PC) Media Player

The choice is entirely yours, and the most suitable option for your application will depend on exactly how you plan to use the digital sign and what content you wish to display.

3. Touchscreen Functionality: Yes or No?

You can decide whether you want your display to have an integrated touch-screen or not.



Screen Size	32"	43"	49"	55"	65"
Display					
Screen Type	LCD	LCD	LCD	LCD	LCD
Resolution (Pixels)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)
Brightness	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	1500:1	1500:1	1500:1	4000:1	4000:1
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M
Viewing Angle (H / V)	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°
Response Time	6ms	6ms	6ms	6ms	6ms
Life Span (Hours)	60000	60000	60000	60000	60000
Power					
Mains Power	100-240v	100-240v	100-240v	100-240v	100-240v
Power Consumption	89 kWh	189 kWh	189 kWh	189 kWh	189 kWh
Standby Consumption	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d	≤5 kWh/d
Dimensions & Weights					
Unit Size (W x H x D)	79 x 104 x 43 cm	102 x 110 x 50 cm	116 x 112 x 50 cm	130 x 113 x 50 cm	152 x 116 x 50cm
Unit Weight	52 kg	67 kg	79 kg	88 kg	104 kg
Packaged Size (W x H x D)	120 x 110 x 82cm	130 x 115 x 85cm	140 x 120 x 95cm	150 x 125 x 102cm	165 x 130 x 105cm
Gross Weight	78 kg	115 kg	136 kg	150 kg	176 kg
Audio					
Speakers	2 x Internal Speakers				
Speaker Output	10 Watts				
Design					
Colour	Black or White (with Silver Trim)				
Shell Material/s	Steel Construction Body and Aluminum Frame				
Screen Material	Tempered Glass Face				
Security	Ports, Connectors and Controls are Located within a Lock-Protected Compartment				
Operating Environment					
Working Temperature	-10°C ~ +50°C				
Working Humidity	10% - 90%				
Certifications & Standards	CE, ROHS, IP20				
Accessories	Wall Mount Bracket, AC Power Lead, Wi-Fi Antenna, Key for Rear Access Door				
Product Warranty	1 Year Warranty				

Optional Integrated Media Player	1. Entry-Level Android OS Media Player	2. Enterprise-Level Windows OS (i3 PC) Media Player	3. Premium-Level Windows OS (i5 PC) Media Player
Operating System	Android® 5.1	Windows® 10	Windows® 10
Processor	Rockchip® Octa-Core 1.8GHz	Intel® i3 3240 Dual-Core 3.4GHz	Intel® i5 3470 Quad-Core 3.2GHz
Memory	1GB DDR3 Ram	4GB DDR3 Ram	8GB DDR3 Ram
Storage	8GB Flash	240GB SSD Hard Drive	240GB SSD Hard Drive
Network	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN
Ports	USB, RJ45, HDMI	USB, RJ45, HDMI	USB, RJ45, HDMI
...or even opt for no media player (if you plan to connect to an external source).			

Optional Touchscreen	
Detection Method	Projected Capacitive 10-Point Touch
Touch Method	Finger, Stylus or Opaque Object
Interpolation	32767 x 32767
Response Time	≤20ms
Accuracy	±2mm
Interface	USB
Supported OS	Windows, MAC, Linux, Android

Dior Addict



A photograph of a city street at night. In the foreground, there are several wooden benches with metal frames. A tree trunk is visible on the left side. In the background, a building with arched windows and doorways is illuminated from within, creating a warm glow. The text "OUTDOOR DISPLAYS" is overlaid in the center-right of the image.

OUTDOOR DISPLAYS



So, you're going to advertise, promote, inform or entertain with an Outdoor Poster Display... great. Our customers usually have two big needs...

Security: The Teksmart Displays are encased in a robust and hardwearing casing. Appearance: Vandal proof, high brightness screen and weather proof yes, but also compact and eye-catching. Available in a wide range of sizes: 32", 43", 49", 55" and 65" – each display has in-built speakers and comes with a wall mounted installation bracket.

Features:

- Highly configurable 'built to order' hardware
- Built for 24/7 commercial use and designed for public spaces
- IP65 waterproof rating to withstand harshest of weather conditions
- Ruggedised 'anti-vandal' casing for demanding outdoor application
- High brightness screen for exceptional picture quality in direct sunlight
- High definition screen with a wide viewing angle
- Integrated premium quality speakers
- Comes complete with wall-mount bracket

Configure:

To ensure that our products meet your exact requirements, we offer highly-customisable solutions. First pick your perfect size, and then configure your display based on the following options:

1. Screen Orientation: Portrait or Landscape?

Choose from either portrait or landscape screen orientation.

2. Integrated Media Player: What Specification?

Choose from the following options:

- Entry-Level Android OS Media Player
- Enterprise-Level Windows OS (i3 PC) Media Player
- Premium-Level Windows OS (i5 PC) Media Player

... Or even opt for no media player (if you plan to connect to an external source).

3. Touchscreen Functionality: Yes or No?

You can decide whether you want your display to have an integrated touch-screen or not.




Screen Size	32"	43"	49"	55"	65"
Display					
Screen Type	LCD	LCD	LCD	LCD	LCD
Resolution (Pixels)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)
Brightness	2000 cd/m2	2000 cd/m2	2000 cd/m2	2000 cd/m2	2000 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	3000:1	3000:1	3000:1	3000:1	3000:1
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M
Viewing Angle (H/V)	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°
Response Time	6ms	6ms	6ms	6ms	6ms
Life Span (Hours)	60000	60000	60000	60000	60000
Power					
Mains Power	100-240v	100-240v	100-240v	100-240v	100-240v
Power Consumption	230W	280W	300W	360W	580W
Standby Consumption	6W	6W	6W	6W	6W
Dimensions & Weights					
Unit Size (W x H x D) - Landscape Version	90 x 89 x 17 cm	113 x 102 x 17 cm	127 x 110 x 17 cm	141 x 118 x 17 cm	163 x 130 x 17 cm
Unit Size (W x H x D) - Portrait Version	59 x 120 x 17 cm	72 x 143 x 17 cm	80 x 157 x 17 cm	88 x 171 x 17 cm	100 x 193 x 17 cm
Unit Weight	90 kg	125 kg	140 kg	155 kg	190 kg
Packaged Size (W x H x D)	130 x 105 x 42 cm	153 x 118 x 42 cm	168 x 126 x 42 cm	181 x 133 x 42 cm	203 x 146 x 42 cm
Gross Weight	105 kg	140 kg	155 kg	170 kg	205 kg
Installation					
VESA Compatibility	100 x 100 mm	200 x 100 mm	200 x 100 mm	400 x 400 mm	400 x 400 mm
Audio					
Speakers	2 x Internal Speakers				
Speaker Output	10 Watts				
Design					
Colour/s	Black and Silver				
Shell Material/s	Steel Construction				
Screen Material	Tempered Glass Face				
Security	Ports, Connectors and Controls are Located within a Lock-Protected Compartment				
Security	Air Conditioning System				
Operating Environment					
Working Temperature	-10°C ~ +50°C				
Working Humidity	10% - 90%				
Certifications & Standards	CE, ROHS, IP65 Waterproof Rating				
Accessories	AC Power Lead, Wi-Fi Antenna, Key for Rear Access Door				
Product Warranty	1 Year Warranty				

Optional Integrated Media Player	1. Entry-Level Android OS Media Player	2. Enterprise-Level Windows OS (i3 PC) Media Player	3. Premium-Level Windows OS (i5 PC) Media Player
Operating System	Android® 5.1	Windows® 10	Windows® 10
Processor	Rockchip® Octa-Core 1.8GHz	Intel® i3 3240 Dual-Core 3.4GHz	Intel® i5 3470 Quad-Core 3.2GHz
Memory	1GB DDR3 Ram	4GB DDR3 Ram	8GB DDR3 Ram
Storage	8GB Flash	240GB SSD Hard Drive	240GB SSD Hard Drive
Network	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN
Ports	USB, RJ45, HDMI	USB, RJ45, HDMI	USB, RJ45, HDMI

...or even opt for no media player (if you plan to connect to an external source).

Optional Touchscreen	
Detection Method	Projected Capacitive 10-Point Touch
Touch Method	Finger, Stylus or Opaque Object
Interpolation	32767 x 32767
Response Time	≤20ms
Accuracy	±2mm
Interface	USB
Supported OS	Windows, MAC, Linux, Android



There's something hard to resist about the Teksmart Outdoor Freestanding Display. The slim-line build and cool, chic design is a big part of the attraction. But we love the fact that, they can catch people by surprise. This isn't a window display or a wall-display, it's a free-standing unit.

Load them up with great content, or even live feeds and draw a crowd. Don't worry. They're built tough: rugged, hard-wearing and vandal-proof. Available in a wide range of sizes: 32", 43", 49", 55" and 65", each display has in-built speakers.

Features:

- Highly configurable 'built to order' hardware
- Built for 24/7 commercial use and designed for public spaces
- IP65 waterproof rating to withstand harshest of weather conditions
- Ruggedised 'anti-vandal' casing for demanding outdoor application
- High brightness screen for exceptional picture quality in direct sunlight
- High definition screen with a wide viewing angle
- Integrated premium quality speakers
- Ports are kept secure within a lock protected compartment

Configure:

To ensure that our products meet your exact requirements, we offer highly-customisable solutions. First pick your perfect size, and then configure your display based on the following options:

1. Integrated Media Player: What Specification?

Choose from the following options:

- Entry-Level Android OS Media Player
- Enterprise-Level Windows OS (i3 PC) Media Player
- Premium-Level Windows OS (i5 PC) Media Player

... Or even opt for no media player (if you plan to connect to an external source).

2. Touchscreen Functionality: Yes or No?

You can decide whether you want your display to have an integrated touch-screen or not.

Screen Size	32"	43"	49"	55"	65"
Panel					
Screen Type	LCD	LCD	LCD	LCD	LCD
Resolution (Pixels)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)	1920 x 1080 (HD)
Brightness	2000 cd/m2	2000 cd/m2	2000 cd/m2	2000 cd/m2	2000 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	3000:1	3000:1	3000:1	3000:1	3000:1
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	16.7 M
Viewing Angle (H/V)	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°
Response Time	6ms	6ms	6ms	6ms	6ms
Life Span (Hours)	60000	60000	60000	60000	60000
Power					
Mains Power	100-240v	100-240v	100-240v	100-240v	100-240v
Power Consumption	230W	280W	300W	360W	580W
Standby Consumption	6W	6W	6W	6W	6W
Dimensions & Weights					
Unit Size (W x H x D)	67 x 170 x 22 cm	80 x 180 x 22 cm	88 x 200 x 22 cm	96 x 215 x 22 cm	108 x 230 x 22 cm
Unit Weight	100 kg	110 kg	140 kg	170 kg	230 kg
Packaged Size (W x H x D)	180 x 83 x 42 cm	190 x 96 x 42 cm	210 x 104 x 42 cm	225 x 111 x 45 cm	240 x 124 x 42 cm
Gross Weight	205 kg	245 kg	260 kg	280 kg	300 kg
Audio					
Speakers	2 x Internal Speakers				
Speaker Output	10 Watts				
Design					
Colour/s	Black and Silver				
Shell Material	Steel Construction				
Screen Material	Tempered Glass Face				
Security	Ports, Connectors and Controls are Located within a Lock-Protected Compartment				
Cooling Method	Air Conditioning System				
Operating Environment					
Working Temperature	-10°C ~ +50°C				
Working Humidity	10% - 90%				
Certifications & Standards	CE, ROHS, IP65 Waterproof Rating				
Accessories	AC Power Lead, Wi-Fi Antenna, Key for Rear Access Door				
Product Warranty	1 Year Warranty				

Optional Integrated Media Player	1. Entry-Level Android OS Media Player	2. Enterprise-Level Windows OS (i3 PC) Media Player	3. Premium-Level Windows OS (i5 PC) Media Player
Operating System	Android® 5.1	Windows® 10	Windows® 10
Processor	Rockchip® Octa-Core 1.8GHz	Intel® i3 3240 Dual-Core 3.4GHz	Intel® i5 3470 Quad-Core 3.2GHz
Memory	1GB DDR3 Ram	4GB DDR3 Ram	8GB DDR3 Ram
Storage	8GB Flash	240GB SSD Hard Drive	240GB SSD Hard Drive
Network	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN	Wi-Fi, RJ45 LAN
Ports	USB, RJ45, HDMI	USB, RJ45, HDMI	USB, RJ45, HDMI
...or even opt for no media player (if you plan to connect to an external source).			

Optional Touchscreen	
Detection Method	Projected Capacitive 10-Point Touch
Touch Method	Finger, Stylus or Opaque Object
Interpolation	32767 x 32767
Response Time	≤20ms
Accuracy	±2mm
Interface	USB
Supported OS	Windows, MAC, Linux, Android

JIMMY CHOO
MAN





CUSTOM DISPLAYS

CUSTOM DIGITAL SIGNAGE

You've got a great range of display screens, interactive displays and tablets to choose from, but suppose you need something a bit more bespoke?

We can develop a unique solution just for you. Before we even start coming up with ideas, our designers and account managers will review your brand and corporate culture. We'll get your take on things too. And we'll look at your competitors' solutions. It will help us identify your business requirements and desired outcomes. Here's how the process works in a bit more detail:




Project brief and conceptual planning:

How do customers interact with your brand and competitors? How are consumer trends affecting your industry? What's in demand? By tapping in to customer needs, we give them intuitive 'ways in' to get the information they need. It's all about simplifying the consumer journey. And we'll try different scenarios until we find the one that fits.



Creative design and product development:

Time to get creative... We combine our expertise in design and technology to create a display piece that will attract and engage your customers. If you need a specialised screen size or shape, our product designers and engineers will deliver top-of-the-line solutions to meet every need.



Content development:

Designing the display piece is only half the battle. What about the content? From slick videos to slideshows to custom apps, our interactive design team will create rich content to bring potential customers right up to your display.



Production and logistics:

We can handle any size of manufacturing run. And everything is rigorously quality-checked before we pack, ship and track your product all the way to delivery.

There's no one else in the development chain. It's all taken care of by the Teksmart team. And you'll have your own project / account manager to keep you up-to-date at every stage of the process.





Digital Signage Solutions